1400

SAFETY DATA SHEET

Issue Date 12-Oct-2015 Revision Date 12-Oct-2015 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Reflection 22 High Speed Performance Floor Finish

Other means of identification

Product Code NL151 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified

Label elements

Emergency Overview

Appearance Opaque White

Physical state Liquid

Odor Typical Acrylic Polymer

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

Hazards not otherwise classified (HNOC)

Other Information

- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

Unknown Acute Toxicity 0.001% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Finish

Chemical Name	CAS No.	Weight-%	Trade Secret
Tributoxyethyl Phosphate	78-51-3	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact

Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation

Remove to fresh air.

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms

Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

NL151 Reflection 22 High Speed Performance Floor **Finish**

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. **Storage Conditions**

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Guidelines**

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Showers, Eyewash stations & Ventilation systems. **Engineering Controls**

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Wear protective gloves and protective clothing if needed. Skin and body protection

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, Respiratory protection

wear suitable respiratory equipment.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

(butyl acetate = 1)

Information on basic physical and chemical properties

Liquid Physical state Opaque White **Appearance** Color White

Odor Typical Acrylic Polymer **Odor threshold** No Information available

Property Values Remarks • Method

8.0 - 9.0рH **Specific Gravity** 1.025

Viscosity < 25 cP @ 25°C Melting point/freezing point No Information available

Flash point Above 200°F

212 ° F Boiling point / boiling range **Evaporation rate** < 1

Flammability (solid, gas) No data available

Flammability Limits in Air

No Information available Upper flammability limit: No Information available Lower flammability limit: Vapor pressure No Information available Vapor density No Information available Complete Water solubility

No Information available Partition coefficient No Information available Autoignition temperature **Decomposition temperature** No Information available

Other Information

NL151 Reflection 22 High Speed Performance Floor Finish

Density Lbs/Gal 8.55

VOC Content (%) Not Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye contact Avoid contact with eyes. Contact with eyes may cause irritation.

Skin Contact Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation.

Ingestion Do not taste or swallow. May cause gastro intestinal irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tributoxyethyl Phosphate	= 3 g/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat) 4 h
78-51-3			

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

No Information available.

No Information available.

No Information available.

No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.001% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 11,153.00 ATEmix (dermal) 48,458.00 ATEmix (inhalation-dust/mist) 118.97

12. ECOLOGICAL INFORMATION

Ecotoxicity

22.7474% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea		
2-(2-ethoxyethoxy)ethanol 111-90-0	Aigaeraquatic plants	19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through 13400: 96 h Salmo gairdneri mg/L LC50 flow-through 1000: 96 h Lepomis macrochirus mg/L LC50 static	3940 - 4670: 48 h Daphnia magna mg/L EC50		
Tributoxyethyl Phosphate 78-51-3	•	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	-		
Ethoxylated Secondary Alcohol 84133-50-6	-	3.2: 96 h Pimephales promelas mg/L LC50	3.2: 48 h water flea mg/L EC50		
Methyl Chloro Isothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static		
Magnesium Chloride 7786-30-3	2200: 72 h Desmodesmus subspicatus mg/L EC50	4210: 96 h Gambusia affinis mg/L LC50 static 1970 - 3880: 96 h Pimephales promelas mg/L LC50 static	1400: 24 h Daphnia magna mg/L EC50 140: 48 h Daphnia magna mg/L EC50 Static		

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient
Tributoxyethyl Phosphate	3.65 - 4.78
78-51-3	

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

Not regulated

TDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %					
2-(2-ethoxyethoxy)ethanol - 111-90-0	1,0					
SARA 311/312 Hazard Categories						
Acute health hazard	No					
Chronic Health Hazard	No					
Fire hazard	No					
Sudden release of pressure hazard	No					
Reactive Hazard	No					

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania		
2-(2-ethoxyethoxy)ethanol 111-90-0	Х	-	X		
Magnesium Nitrate 10377-60-3	X	X	X		

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

						V	

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical Properties Yes HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal protection X

Issue Date 12-Oct-2015 **Revision Date** 12-Oct-2015 **Revision Note**

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet