according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011 MSDS Number 350000004533

SITE\_FORM Number

3000000000000003849.001

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Trade name : RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831

P.C.P. ACT

Use of the : Insecticide

Substance/Mixture

Company : S.C. Johnson and Son, Limited

1 Webster Street

Brantford ON N3T 5R1

Emergency telephone

number

24 Hour Transport & Medical Emergency Phone (866) 231-

5406

24 Hour International Emergency Phone (952) 852-4647 24 Hour Canadian Transport Emergency Phone (CANUTEC)

(613) 996-6666

#### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Appearance / Odor : white / aerosol / mild

Immediate Concerns : Warning

CAUSES EYE IRRITATION.
Contents under pressure.
Do not puncture or incinerate.

Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst. Harmful by inhalation. Harmful if swallowed.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas. Keep away from heat, sparks and flame.

**Potential Health Effects** 

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Causes:

Moderate eye irritation

Skin : May cause skin reactions in rare cases.

Prolonged or repeated contact may dry skin and cause irritation.

Inhalation : Harmful if inhaled.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011 MSDS Number 350000004533

SITE\_FORM Number

3000000000000003849.001

May cause systemic effects.

Ingestion : May cause irritation to mouth, throat and stomach.

May cause abdominal discomfort.

Harmful if swallowed.

Aggravated Medical

Condition

Persons with pre-existing skin disorders may be more

susceptible to irritating effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Petroleum gases, liquefied	68476-85-7	30.00 - 60.00
Distillates (petroleum), hydrotreated light	64742-47-8	5.00 - 10.00
Piperonyl butoxide	51-03-6	1.00 - 5.00
D-Trans-allethrin	28057-48-9	0.10 - 1.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

### 4. FIRST AID MEASURES

Eye contact : Remove contact lenses. Flush immediately with plenty of water

for at least 15 to 20 minutes. Get medical attention if irritation

develops and persists.

Skin contact : Rinse with plenty of water. Get medical attention if irritation

develops and persists.

Inhalation : Remove to fresh air. If breathing is affected, get medical

attention. If not breathing, give artificial respiration. Get medical

attention immediately.

Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so

by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011 MSDS Number 350000004533

SITE\_FORM Number

3000000000000003849.001

Specific hazards during

firefighting

: Aerosol Product - Containers may rocket or explode in heat of fire. Container may melt and leak in heat of fire. Do not allow

run-off from fire fighting to enter drains or water courses.

Further information : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or

explosion do not breathe fumes.

Flash point : < -7 °C

< 19.4 °F

Method: Tag Closed Cup (TCC)

Note: Propellant

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

NFPA Classification : NFPA Level 1 Aerosol

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions : Remove all sources of ignition.

Wear personal protective equipment.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Use appropriate containment to avoid environmental

contamination.

Outside of normal use, avoid release to the environment.

Methods for cleaning up : Soak up with inert absorbent material.

If damage occurs to aerosol can:

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Sweep up and shovel into suitable containers for disposal.

Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

#### 7. HANDLING AND STORAGE

### Handling

Advice on safe handling : Avoid contact with skin, eyes and clothing.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011

MSDS Number 350000004533 SITE\_FORM Number 30000000000000003849.001

Do not puncture or incinerate.

Do not enter places where used or stored until adequately

ventilated.

Avoid breathing vapors, mist or gas. For personal protection see section 8.

Do not spray toward face.

Do not use in areas without adequate ventilation.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS. Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against fire and explosion

: Keep away from heat and sources of ignition.

#### Storage

Requirements for storage areas and containers

: Keep away from food, drink and animal feedingstuffs.

Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

Keep in a dry, cool and well-ventilated place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Petroleum gases, liquefied	68476-85-7	-	1,000 ppm	-	ACGIH TWA
Petroleum gases, liquefied	68476-85-7	-	1,000 ppm	-	ACGIH TWA
Distillates (petroleum), hydrotreated light	64742-47-8	1,200 mg/m3	152 ppm	-	SUPPLIER

### Personal protective equipment

### Respiratory protection

Industrial setting : Substantial amounts of mist/vapors can be controlled with

local exhaust ventilation or respiratory protection.

Do not spray in enclosed areas.

Household setting : Use only with adequate ventilation.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011 MSDS Number 350000004533

SITE\_FORM Number 3000000000000000003849.001

Hand protection : No special requirements.

Eye protection

Industrial setting : Safety glasses with side-shields

Household setting : Avoid contact with eyes.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : white

Odor : mild

pH : no data available

Melting point : no data available

Boiling point : 100 °C

Freezing point : no data available

Flash point : < -7 °C

< 19.4 °F

Method: Tag Closed Cup (TCC)

Propellant

Evaporation rate : no data available

Autoignition temperature : no data available

Lower explosion limit : no data available

Upper explosion limit : no data available

Vapour pressure : no data available

Density : 0.940 - 0.975 g/cm3

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011 MSDS Number 350000004533

SITE\_FORM Number 300000000000000003849.001

Water solubility : completely soluble

Partition coefficient: n-

octanol/water no data available

10. STABILITY AND REACTIVITY

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : Strong oxidizing agents

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases

and vapours.

Hazardous reactions : Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 Oral

estimated > 2,990 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : LD50 Dermal

estimated > 20,000 mg/kg

**Chronic effects** 

Carcinogenicity : no data available

Mutagenicity : None Anticipated

Reproductive effects : no data available

Teratogenicity : no data available

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011 MSDS Number 350000004533

SITE\_FORM Number

3000000000000003849.001

Sensitisation : no data available

#### 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** : no data available

#### 13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding

disposal.

Consumer may discard empty container in trash, or recycle

where facilities exist.

RCRA waste class : D001 (Ignitable Waste)

#### 14. TRANSPORT INFORMATION

### Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2.1
UN number 1950
Packaging group: None.

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

#### Sea transport

IMDG:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

Class: 2
UN number: 1950
Packaging group: None.
EmS: F-D, S-U

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

#### Air transport

ICAO/IATA:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0 Print Date 01/30/2012

Revision Date 11/07/2011 MSDS Number 350000004533

SITE\_FORM Number

3000000000000003849.001

Class: 2.1 UN/ID No.: UN 1950 Packaging group: None.

Note: SC Johnson typically does not ship products via air, therefore it has

not been determined if the product container meets current

IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

#### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

Canada Regulations : This product has been classified in accordance with hazard

criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products

Regulations.

### **16. OTHER INFORMATION**

**HMIS Ratings** 

rimio italings		
Health	2	
Flammability	4	
Reactivity	0	

**NFPA Ratings** 

iti i A italings		
Health	2	
Fire	4	
Reactivity	0	
Special	-	

### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# RAID MAX® FLYING INSECT KILLER 2 - REG. NO. 29831 P.C.P. ACT

Version 2.0	Print Date 01/30/2012
Revision Date 11/07/2011	MSDS Number 350000004533 SITE_FORM Number 30000000000000003849.001
9/9	