SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: PRODUCT NUMBER: 810 Slide

POOLUCT TYPE: AEROS Ultra-Chein, Inc

IERS ADDRESS: P.O. Box 3717 Shawnee Mission, D.O.T. HAZARO CLASS: ORM. KS 66214 TEFLOIN IS A REGISTERED TRADE MAR OF EL DUPONT DE NEMOURS & CO., INC.

Chemical Family: N/A Formula: Proprietary Date Propared: 6/16/94

Emergency Phone: 800-451-0726 Information Phone 800-451-0726

HMIS RATING: (Based on Aerosol Concentrate): 0-Minimal: 1-Slight; 2-Moderate; 3-Sorious; 4-Extraine

HEALTH

SECTION II - INGREDIENTS							
CHEMICAL NAME	CAS NO.	% WT	313/CHEM	PEL	SKIN	TWA-TLY	CARCINOGEN
isoparaffinic Hydrocerbon Polytetraffuoroothylene	64742-48-9 9002-84-0	40-60 01-05	NO NO	400 ppm 10 mg/m² (inen 0æn	NO NO	400 ppm 10 mg/m³ (lean Dust	NO NO
Liquiffed Petroloum Gas	68476-85-7	40.60	NO	1000 ppm	NO	1000 ppm	NO

SECTION III - PHYSICAL DATA

DATA BELOW BASED ON AEROSOL CONCENTRATE ONLY:

Boiling Point: ~300°F Veror Density (Air=1): >1 Solubility in Water, Slight

oH: N/A Specific Gravity (H2O = 1) @ 75°F: 0.720

DATA BELOW BASED ON TOTAL CONTENTS: Vapor Pressure of Can (psig @ 70°F): 45
Total VOC (Volatile Organic Compound) %:
Appearance/Odor: Cloar Liquid, Solvent Odor

SECTION IV - FIRE AND EXPLOSION DATA

Flash Point (OF CONCENTRATE ONLY): 49°F (T.O.C.) Flammability as per USA Flame Projection Tost: Extremely Flammable Spray Extinguishing Media: Foam, CO₂, Dry Media

Special Fire Fighting Procedures: Wear self-contained breathing appearants and protective dothing. Cool fire exposed containers to prevent rupturing.

Unusual Fire and Explosion Hazards: Exposure to temporatures above 120°F may cause bursting.

SECTION V- REACTIVITY DATA

Stability: Stable Hazardous Polymerization: Will Not Occur

Incompatibility: Avoid contact with strong exidizing agents
Carbon Dioxida, Carbon Monoxida

SECTION VI - STORAGE AND HANDLING

KEEP OUT OF THE REACH OF CHILDPEN For industrial & Institutional Use Only. Store in a cool, dry area away from heat or open flame. Do not store at temporatures above 120°F. NFPA Code 308 Rating: Level 3 Acrosol

SECTION VII - HEALTH AND FIRST AID

PRIMARY ROUTES OF ENTRY & EFFECTS OF OVER EXPOSURE

EYES: May cause slight imitation but does not injure eye tissue.

SKIN: Frequent or prolonged contact may cause Irritation

INHALATION: Inhalation of mist can cause irritation of nasal and respiratory passages. Abusive or excessive inhalation may cause imitation to the upper respiratory tract, dizzinoss, nausea and other central nervous system effects.

NGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhoe. Aspiration of material into the lungs can cause chemical pneumonitis. Minimal toxicity.

FIRST AID PROCEDURES

EYES: Flush with large amounts of cool running water for at least 15 minutes while holding upper and lower lids open. If imitation possists get medical attention immediately.

SKIN: Wash with soap and water. If irritation persists seek medical attention,

INHALATION: Remove to fresh air. Seek medical attention immediately. if breathing stops give artificial respiration.

INGESTION: Do not induce vomiting. Seek medical attention immediately.

SECTION VIII - SPECIAL PROTECTION DATA

RESPIRATORY PROTECTION: None needed for proper use in accordance with labol directions.

VENTILATION: Provide local exhaust to keep TLV of Section II ingredients below acceptable limits.

PROTECTIVE GLOVES: None needed for proper use in accordance with label directions. Use chemical resistant gloves if hand contact will be made.

EYE PROTECTION: None needed unless it is anticipated that a splash or sprayback will occur, then wear safety glasses.

SECTION IX - SPILL OR LEAK PRECAUTIONS

STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK:

Allow propellant to evaporate.

Maintain local exhaust and adoquate vontilation.

No smoking. Keep sparks, heat sources and open flame far away from spill or leak. Cover with absorbent material and sweep up. Wash area to prevent slipping. Dispose of soaked absorbent material in accommod with Federal, State and local laws.

WASTE DISPOSAL METHOD:

Aerosol cans, when emptiod and dopressurized through normal use, pose no disposal hazard and should be recycled. Consult Federal, State and local authorities for approved procedures.

-=NOT APPLICABLE N/E=NOT ESTABLISHED N/D=NOT DETERMINED <=LESS THAN >=MORE THAN

NOTICE: The Information contained on this Material Safety Data Shoot is considered accurate as of the date of publication, It is not necessarily all inclusive nor tuty adequate in every directimistance. The suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty, express or implied, of merchantability, fitness, accuracy of data, or the results to be obtained from the use thereof is made. The vendor assumes no responsibility for injury or damages resulting from the inappropriate use of this product.